

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20010020242"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:15
S2	1218	"709"/\$.ccls. and redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:23
S3	293	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:24
S4	103	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers)and privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:24
S5	10	"709"/\$.ccls. and (redirect\$3 with request\$3 with servers) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:31
S6	14	"709"/\$.ccls. and (redirect\$3 with request\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38
S7	0	"709"/\$.ccls. and (redirect\$3 with correct\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38
S8	0	"709"/\$.ccls. and (redirect\$3 with belong\$3) same privat\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 18:38
S9	11	"709"/\$.ccls. and (redirect\$3 with belong\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 10:18

S10	11	"709"/\$.ccls. and (redirect\$3 with external with internal) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:23
S11	15	"709"/\$.ccls. and (redirect\$3 same (external with internal)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:28
S12	14	(redirect\$3 same appropriat\$3 same (external with internal)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:30
S13	42	(redirect\$3 same appropriat\$3 same (domain)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 19:30
S14	6	(redirect\$3 with appropriat\$3 with (domain)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:05
S15	1051	(redirect\$3 with appropriat\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:05
S16	1	(redirect\$3 with appropriat\$3 with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:30
S17	23	(redirect\$3 with appropriat\$3 with IPs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:08
S18	3	(redirect\$3 with appropriat\$3 near2 router) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:46
S19	103	(proxy with internal with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:47
S20	3	(proxy with internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:48

S21	149	(gateway with internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:48
S22	1	(gateway with internal with external) same redirect\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 20:49
S23	1	("6505254").PN.	USPAT; USOCR	OR	OFF	2006/06/05 21:53
S24	356	(forward\$3 with BTS) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:54
S25	42	(forward\$3 with BTSs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:55
S26	1	(forward\$3 with BTSs with area) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S27	42	(forward\$3 with BTSs) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S28	499	(forward\$3 with appropriate\$3 with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:56
S29	37245	(forward\$3 with appropriate\$3 with servers geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:57
S30	0	(forward\$3 with appropriate\$3 with servers with geographic \$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 21:57
S31	11	(forward\$3 with servers with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 22:01

S32	4	(redirect\$3 with servers with geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:11
S33	17	(redirect\$3 with servers same geographic\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 22:03
S34	2	("6505254").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:27
S35	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 13:27
S36	10	(private with (locations geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:38
S37	0	(private with (geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:38
S38	0	(private same (geographic) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S39	0	(private same (geographic) same (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S40	55	(private same (area\$1) same (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:39
S41	18	(private with (area\$1) with (IP near2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:40
S42	1	(private with (area\$1) with (IP near2 address\$1)) and geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:44

S43	94	private and (geographic\$3 with IP) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:45
S44	24	private and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:47
S45	0	private same (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 13:46
S46	18	private and (geographic\$3 with (IP adj2 address\$1)) and public and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12
S47	24	private and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:58
S48	0	private same (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12
S49	0	private with (IP adj2 address\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:12
S50	1	lan with (IP adj2 address\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:48
S51	6184	((attach\$5 includ\$4) with links with (page\$1 webpage\$1)) and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49
S52	478	((attach\$5 includ\$4) with links with (page\$1 webpage\$1)).ab. and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49
S53	71	"709"/\$.ccls. and ((attach\$5 includ\$4) with links with (page \$1 webpage\$1)).ab. and @ad<="20031007"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:49

S54	0	private same (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 14:58
S55	3	lan same (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:03
S56	41	private and public and (geographic\$3 same (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:04
S57	18	private and public and (geographic\$3 with (IP adj2 address\$1)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:20
S58	76	private and public and (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:20
S59	2	private same public same (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:21
S60	31	private same (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:22
S61	5	private with (geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:57
S62	14	(associat\$3 with geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:40
S63	5	firewall and (associat\$3 with geographic\$3 with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:53
S64	3	("6603763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/08 15:53

S65	0	private with (city with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:57
S66	38	private with (locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:58
S67	0	private with (associat\$4 with locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:58
S68	1	private with (mapp\$3 with locations with (IP)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/08 15:59
S69	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 09:24
S70	20	"709"/\$.cls. and using with prox \$3 near2 (address\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 10:43
S71	3	("6836476").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 10:44
S72	2	("20010020242").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 12:11
S73	3	("6603763").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/09 12:11
S74	383	(IP adj2 address\$1) with locations and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:14
S75	6	(IP adj2 address\$1) with (geographical near2 locations) and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:32

S76	17	(IP adj2 address\$1) same (geographical near2 locations) and @ad<="19990503"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/09 12:33
S77	4	private same (IP adj2 address \$4) with geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:00
S78	4	private same (IP adj2 address \$4) with geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:03
S79	36	private same (address\$4) with geographic\$3 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:03
S80	3	private same (address\$4) with geographic\$3 and redirect\$4 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:04
S81	13	private same (address\$4) same geographic\$3 and redirect\$4 and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:07
S82	0	(private with redirect\$4 with public) and ((tables database\$3) with (address\$4) with geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:08
S83	0	(private with redirect\$4 with public) and ((tables database\$3) same (address\$4) with geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:08
S84	0	(private with redirect\$4 with public) and ((tables database\$3) same (address\$4) same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:09
S85	0	(private same redirect\$4 same public) and ((tables database\$3) same (address\$4) same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/12 09:09
S86	2	(private same redirect\$4) and ((tables database\$3) same (address\$4) same geographic \$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:08

S87	1	("6910221").PN.	USPAT; USOCR	OR	OFF	2008/01/14 13:01
S88	0	("2003011296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 13:01
S89	0	("2002011296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 13:01
S90	1	("20030110296").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 17:14
S91	1	("6230201").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/01/14 17:14
S92	1	("6785728").PN.	USPAT; USOCR	OR	OFF	2008/01/15 11:38
S93	88	(redirect\$4 same geographic\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:08
S94	20	(redirect\$4 same geographic\$3) and internal and external @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:30
S95	7	((redirect\$4 same geographic \$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 18:59
S96	73	((forward\$4 same geographic \$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 19:00
S97	16	((forward\$4 near2 request\$4 same geographic\$3) same retriev\$) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/15 19:00
S98	1	("6505254").PN.	USPAT; USOCR	OR	OFF	2008/01/16 13:16
S99	8906	(internal near2 address\$3) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:30
S100	25	(internal near2 address\$3) with (internal near2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:49
S101	0	(internal near2 address\$3) with (internal near2 server\$1) same geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:31

S102	1	(internal near2 address\$3) with (internal near2 server\$1) same locations and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:32
S103	1	(internal near2 address\$3) same (internal near2 server\$1) same locations and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:32
S104	5	(internal near2 address\$3) same (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S105	23	(internal near2 address\$3) and (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S106	5	(internal near2 address\$3) with (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S107	5	(internal near2 address\$3) same (internal near2 server\$1) and geographic and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:33
S108	6	(internal adj1 address\$3) same (internal near2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:52
S109	0	(internal adj1 address\$3) same (internal adj1 router\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:53
S110	1	(internal adj1 address\$3) same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:54
S111	0	(address\$3) same map\$4 same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:54
S112	1	(address\$3) same table same (internal adj1 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:57

S113	1	(address\$3) same map\$6 same (internal adj2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:57
S114	12	map\$6 same (internal adj2 server\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 14:58
S115	2	map\$6 same (internal adj2 server\$1) same (locations geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:13
S116	1	("6618366").PN.	USPAT; USOCR	OR	OFF	2008/01/16 15:13
S117	3	((internal near2 address\$3) same geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:00
S118	219	((internal near2 address\$3) same regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:01
S119	119	((internal near2 address\$3) with regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:01
S120	8	((internal near2 address\$3) with regions same map) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:02
S121	1	"709"/\$.ccls. and ((internal near2 address\$3) with regions same map) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:04
S122	3	"709"/\$.ccls. and ((internal near2 address\$3) with regions) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:05
S123	79	((internal near2 address\$3) with servers) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:05

S124	61	((internal near2 address\$3) with servers) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:06
S125	10	((internal near2 address\$3) with (table\$1 map\$4) with servers) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:48
S126	20	((detect\$4 discover\$4) with redirect\$4 with externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:50
S127	12	((detect\$4 discover\$4) adj2 redirect\$4 same externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:55
S128	49	((detect\$4 discover\$4) adj2 redirect\$4 and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:55
S129	0	((detect\$4 discover\$4) adj2 redirect\$4 with (geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S130	0	((detect\$4 discover\$4) adj2 redirect\$4 same(geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S131	41	((detect\$4 discover\$4) adj2 redirect\$4 and (geographic locations) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:56
S132	19	((detect\$4 discover\$4) adj2 redirect\$4 and (address\$2 with (geographic locations)) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:54
S133	19	((detect\$4 discover\$4) adj2 redirect\$4 and (address\$2 with (geographic locations) same (map\$4 tables)) and internals and externals) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:00

S134	29	((detect\$4 discover\$4 determin\$4) adj2 redirect\$4 and (address\$2 with (geographic locations) same (map\$4 tables)) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:34
S135	1	("6,701,378").PN.	USPAT; USOCR	OR	OFF	2008/01/16 17:34
S136	5	((detect\$4 discover\$4) adj2 redirect\$4 same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:55
S137	228	((detect\$4 discover\$4 determin\$4) adj2 (redirect\$4 forward\$4) same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:55
S138	95	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same(address\$2 urls)) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 17:56
S139	10	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same(address\$2 urls) same header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:06
S140	25407	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S141	28413	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) sa,e header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S142	25407	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S143	165	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) and header) and externals and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:07
S144	51	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same header\$1) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:10

S145	1	((detect\$4 discover\$4 determin\$4) adj1 (redirect\$4 forward\$4) same header\$1 same external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:12
S146	185	((detect\$4 discover\$4 determin\$4) with header with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:12
S147	29	((detect\$4 discover\$4 determin\$4) with header with address with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:13
S148	2	((detect\$4 discover\$4 determin\$4) near3 header with address with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:14
S149	14	((detect\$4 discover\$4 determin\$4) near3 urls with external) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15
S150	0	((detect\$4 discover\$4 determin\$4) near3 urls with external same forward\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15
S151	0	((detect\$4 discover\$4 determin\$4) near3 urls with external same redirect\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:15
S152	1	((detect\$4 discover\$4 determin\$4) near3 urls with sources same redirect\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:19
S153	2	((detect\$4 discover\$4 determin\$4 identify\$4) near3 sources with urls same redirect\$4) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:21
S154	22	(redirect\$4 with geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:22
S155	18708	(redirect\$4 same for near4 geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23

S156	0	(redirec\$4 same for near4 geographic) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23
S157	0	(redirec\$4 same for near4 locations) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:23
S158	0	((determin\$4 near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:31
S159	2072248	((determin\$4 recogniz\$4 near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:32
S160	0	((determin\$4 recogniz\$4) near2 redirec\$4 with firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:32
S161	7	((determin\$4 recogniz\$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S162	7	((determin\$4 recogniz\$4 detect \$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S163	7	((determin\$4 recogniz\$4 detect \$4 discover\$4) near2 redirec\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S164	16	((determin\$4 recogniz\$4 detect \$4 discover\$4) near2 forward\$4 same firewall) and @ad<="20000331"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 18:33
S165	163	search\$4 same (locations same confidences) and (@ad<="20000331" @rlad<="20000331")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/07 06:01
S166	1	("20080167049").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 06:28
S167	1	("20080113672").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 06:28

S168	1	("20010020242").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 07:43
S169	1	("5,963,915").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/12/07 07:56
S170	2	((("20010020242") or ("6,505,254") or ("7,298,327"))). PN.	USPAT; USOCR	OR	OFF	2009/06/30 09:33
S171	3	((("20010020242") or ("6,505,254") or ("7,298,327") or ("20010020242"))).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 09:33
S172	2	((("5548649") or ("6366912"))).	US-PGPUB; USPAT; USOCR	OR	OFF	2009/06/30 11:16
S173	1	("6,505,254").PN.	USPAT; USOCR	OR	OFF	2009/07/02 10:27

7/ 2/ 2009 12:47:23 PM

C:\Documents and Settings\ltruong6\My Documents\EAST\Workspaces\09632959.wsp